



# 2010 MONTANA

## SCHOOL HEALTH PROFILES

### TOBACCO ELEMENTS

JANUARY 2011

[www.opi.mt.gov/shp](http://www.opi.mt.gov/shp)



Montana  
Office of Public Instruction  
Denise Juneau, State Superintendent

[opi.mt.gov](http://opi.mt.gov)

# **Montana 2010 School Health Profiles Report Background**

The School Health Profiles (Profiles) assists state and local education and health agencies in monitoring and assessing characteristics of school health education; physical education; school health policies related to HIV infection/AIDS, tobacco-use prevention, and nutrition; asthma management activities; and family and community involvement in school health programs. Data from Profiles can be used to improve school health programs.

Two questionnaires are used to collect data – one for school principals and one for lead health education teachers. The two questionnaires were mailed to 291 regular secondary public schools containing any of grades 6 through 12 in Montana during spring 2010. Usable questionnaires were received from 73% of principals and from 72% of teachers. Because the response rates for these surveys were greater than or equal to 70%, the results are weighted and are representative of all regular public secondary schools in Montana having at least one of grades 6 through 12. Results from the principal and lead health education surveys are presented for the following types of schools in Montana:

- High Schools with a low grade of 9 or higher and a high grade of 10 or higher;
- Middle schools with a high grade of 9 or lower;
- Junior/senior high schools with a low grade of 8 or lower and a high grade of 10 or higher; and
- All schools.


The Profiles questionnaires were developed by the Division of Adolescent and School Health, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention in collaboration with representatives of state, local, and territorial departments of health and education.

# Principal Survey Results

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.




NA = Not available



## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*




\*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."

NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*




\*Among those schools that have adopted a policy prohibiting tobacco use

NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*




\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA = Not available



# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*




\*Among those schools that have adopted a policy prohibiting tobacco use

NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.




NA = Not available



# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.




NA = Not available



## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.



NA = Not available


Lead Health  
Educator Survey  
Results



# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

7. Percentage of schools in which teachers tried to increase student knowledge on each of the following topics in a required course in any of grades 6 through 12.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.




NA = Not available



# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.




NA = Not available

## MONTANA

### 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.




\*Responses to question 8 a through o all are "yes."

NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

15. Percentage of schools that provided parents and families with health information designed to increase parent and family knowledge of the following topics during the current school year.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

16. Percentage of schools in which the lead health education teacher received professional development (e.g., workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.




NA = Not available

# MONTANA

## 2010 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

18. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.



NA = Not available



# **MONTANA**

## **SCHOOL HEALTH**

# **PROFILES**

[www.opi.mt.gov/shp](http://www.opi.mt.gov/shp)